



Title: Locomotive Inbound Inspection Report
 Document Control No.: QF-10007
 Release Document :
 Revision: Rev 1

Model **SD40M-2** Road No. **2676** Frame No. **C18985703-** Sold To **NRE**
 OEM Serial # **31840** Date Built **Dec-66** Origin **ACL 1024 (SD45)**
 Inspector: **BRIGGS** Location: **SILVIS** Date: **8/25/2015**

BOTTOM INSPECTION

Front: **SHORT** Nose: **LOW** MU: **YES** MU Hoses: **YES**
 Dynamics: **YES** Extended: **YES** Grid(s)Condition: **FAIR**
 Bell: **YES** Horn: **YES** Frame Condition: **GOOD**
 Fuel Tank Size: **4000** Retention Tank: **NO** Condition: **GOOD**

Wheels:	L1	2 1/16	L4	2 1/16	R1	2 1/16	R4	2 7/16
SIZE:	L2	2 5/8	L5	2 7/8	R2	2 11/16	R5	2 7/8
	L3	2 3/8	L6	2 7/16	R3	2 3/8	R6	2 7/16

Box TYPE: Hyatt/Timken (H/T)

1:HYATT 2: HYATT 3: HYATT 4: HYATT 5: HYATT 6: HYATT

T.M. Type: 1 **D77-78** 4 **D77-78** List Cut/Missing TM leads: **NONE**
 2 **D77-78** 5 **D77-78** Gear Ratio: **62:15** Brake Shoe Type: **COMP**
 3 **D77-78** 6 **D77-78** Axle Drive Type & Condition: **PULSE / GOOD**

Draft Gear Type & Condition: Front: **390 / GOOD** Rear: **390 / GOOD**
 Draft Gear Pocket Condition: Front: **GOOD** Rear: **GOOD**
 Coupler Type: Front: **E** Rear: **E** Self-Aligning: **YES** Condition: **GOOD**
 Pilot Type: **PLATE** General Condition: **FAIR** Plow Type: **HIGH**
 Truck Type: 1 **FC/C** 2 **FC/C** Rigging Pin Type: 1 **SINGLE** 2 **SINGLE**
 Brake Cyl.: 1 **High** 2 **High**

LONGHOOD INSPECTION

Walkway Condition: **GOOD** Handrail Condition: **GOOD**
 Engine Type: **16-645-E3** S/N: **69D11041** EMD Block No. (from A frame): **16E68M34** Bars Over: **YES**
 Engine Overall Condition: **GOOD** Internal/Bottom End Condition: **GOOD**
 Turbo P/N: **9338194** S/N: **88H11011** Condition: **GOOD** Diffusor Condition: **OK**
 Fuel Pump: **YES** PreHeater: **YES** Oil Cooler: **YES** Starter: **YES**

Fuel Bypass Valve & Gage: **NO** Spark Arrestors: **NO** Exhaust Leaks: **NO**
 Spin On Filters: **YES** Load Regulator Style: **SMALL** Defective Tag: **YES**
 Radiators: **IN** Leaks: **NO** Radiator Type: **MECH. BONDED**

Fire Extinguishers: Longhood: **NO** Cab: **NO**
 AC Cabinet: **YES** Fan Fuses: **YES** 200Lb. Air Gauge: **NO**

Air Compressor Type: **WBO** Base Style: **HIGH** Condition: **GOOD**

Air Filter Type/System: **26L** Condition: **GOOD**

Air Filter Media Type: **Baggie** **GOOD**

Air Braker Type/System: **26L** Condition: **GOOD**

EMD Main Gen/Alt. Type: **AR10/D14** S/N: **79G36007** Condition: **GOOD**

EMD Aux. Generator Type: **18KW** S/N: **N/A** Condition: **GOOD**

A.G. Blower Wheel Type: **DUAL** Condition: **FAIR**

D.B. Fan: Qty: **2** Size: **48"** Blades: **10** Type: **Fab**

#1 Cool Fan: Size: **48"** Blades: **8** Type: **Fab**



MOVING FORWARD

Title: Locomotive Inbound Inspection Report

Document Control No.: QF-10007

Release Document :

Revision: Rev 1

#2 Cool Fan:	Size: 48"	Blades: 9	Type: Fab	Fan Drive Type
#3 Cool Fan:	Size: 48"	Blades: 9	Type: Fab	Eddy Current Direct Drive
#4 Cool Fan:	Size: _____	Blades: _____	Type: Cast Fab	Condition:
Equipment Rack:	YES	Type:	Inertial Filters & Blower Motor:	YES

Carbody Condition: **FAIR**

Paint Color/Contition: Carbody: **GRAY / FAC** Eng Room: **GRAY / DIRTY** Cab: **GRAY / WORN**

CAB/SHORT NOSE INSPECTION

Cab Condition:	Floor: GOOD	Glass Meets FRA Req: YES	Condition: GOOD
Cab Lights: YES	Modules YES	# Missing: NONE	Air Brake Change Date: UNKNOWN
H. V. Cabinet: GOOD	Wire Type: Exane	Gear Magnetic	
Evidence of Rewire? YES	Comments:		
Speedo Type: BACH SIMPSON	Heaters Electric Strip	Seats 3	Arm Rest: YES
Cab Cards YES	(If yes, record available data)	Event Recorder Equipped:	
Toilet Type: WABTEC	Water Cooler Type: NONE	Wipers: YES	Visors: YES
Batteries: IN	Condition: FAIR	Style: UNITIZED	
Control Stand Type: AAR		Condition: GOOD	
Radio Equipment:	EOT:	Alerter: PULSE	
	Cab Signal:	Computer Control	

VEE DIRTY

ENGINE ROOM FLOORS AND SUMP OILY / DIRTY

COMPRESSOR ROOM FLOR OILY /DIRTY

FRONT PLOW BENT / DAMAGED @ RIGHT CENTER AREA

ARRIVED DEAD AND DRAINED

BATTERIES REMOVED

NO BLUE CARD DATA

AIR DRYER EQD

